





Electrosurgical (ESU) Pencil

ClearSlit is an electrosurgical device for conducting enhanced electro surgery procedures. This device is designed as pencil for easy and efficient usage. The cable (3m) is made of PVC in blue color with white pencil. The tip is made of stainless steel (4cm x 2.3mm). The maximum current utput is 1A with 0-1.0MHZ frequency.

Features

Light weight.

Streamlined.

Anti-slippery surface.

PVC medical cable - 3m

Stainless Steel tip - 4 cm

Diameter of the tip - 2.3mm

Appropriate switch sensitivity

Maximal output current: - 1A

Frequency confine: 0-1.0MHZ

Current resistance: 200 (Ohms)

170mm-ABS pencil appearance

Ways of aseptic technique: Sterile EO


Clear & appropriate switch position, with gentle "click"

Document No: NTM/BR/01



Dilator

Other Components



Document No: NTM/BR/01 Revision No - 00



ESU Pencil Holster

From Indigenous Idea to Newtech Solution



Newtech Medical Devices Pvt. Ltd.

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

ESU Pencil Holster - Introduction

Newtech's ESU pencil holster provides the surgeon with a safer and time-saving option. The patented cleaning edge design inside the holster allows surgeons to wipe off carbonized tissue sticking on the tip electrode, reducing surgical time.

According to U.S. AORN and ECRI's recommended practices for electrosurgery, a well-insulated safety holster shall be used to store the active electrode, preventing surgical fire or electrosurgical burn. Always place unused ESU active tip electrodes in a safety holster.



Specification:

Usage: Electrosurgical safety holster is used for placement of pencils when not in use

Advantage: With large clip for easy attachment to drape or stand

Size: 50×25×190mm

Product Description:

Model No.	ESU-PH
Color	Transparent
Transport Package	Sterile or in Bulk

Newtech Medical Devices Pvt. Ltd.

14/5, Mathura Road, Pocket B, Sector 27, Faridabad, Haryana -121003, INDIA

Tel +91 129 225 9961

+91 129 225 9962

Mail ID info@ntmdevices.com Website www.ntmdevices.com


Our Distributo	r:		



ClearCath[™]

Arterial Catheter

From Indigenous Idea to Newtech Solution



Newtech Medical Devices Pvt. Ltd.

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

Arterial Catheter - Introduction

Arterial Catheter is a catheter for arterial access inserted by the Seldinger technique. Although it can be inserted in a variety of arteries, the most common sites for the placement of this catheter are the radial and the femoral artery.

The Seldinger technique makes arterial puncture easier particularly in hypotensive patients with a weak peripheral pulse and when arteries are atherosclerosed or narrow.

The product is supplied in a kit containing:

- 1 introducer needle
- 1 straight guidewire
- 1 transparent and radiopaque catheter in polyethylene with winged hub (hub without wings).

This catheter is suitable for a variety of arterial and venous applications in both adults and children depending upon the length and the size of the catheter.

Product Size:

ARTERIAL CATHETER

		Cath	eter		Punctur	e needle	Guid	ewire	
Product code	Ø (Fr)	Length (cm)	Int. Ø - Ext. Ø (mm)	Flow rate (ml/min)	Gauge (G)	Length (cm)	Ø (mm)	Length (cm)	Units per box
AC/38	3	8	0.6 - 0.9	24	20	38	0.53	20	20
AC/32	3	2	0.6 - 0.9	33	20	38	0.53	20	20
AC/34	3	4	0.6 - 0.9	30	20	38	0.53	20	20
AC/36	3	6	0.6 - 0.9	27	20	38	0.53	20	20
AC/410	4	10	0.8 - 1.2	24	19	52	0.71	30	20
AC/48	4	8	0.8 - 1.2	43	19	52	0.71	30	20
AC/418	4	18	0.8 - 1.2	34	19	68	0.71	46	5
AC/4518	4.5	18	1.0 - 1.5	67	17	70	0.9	46	5
AC/18	5	18	1.2 - 1.7	109	16	70	1.1	46	5

Newtech Medical Devices Pvt. Ltd.

14/5, Mathura Road, Pocket B, Sector 27, Faridabad, Haryana -121003, INDIA

Tel +91 129 225 9961

+91 129 225 9962

Mail ID info@ntmdevices.com Website www.ntmdevices.com


\bigcirc		Dietribute	
()	ır	Distributor	г

Document No: NTM/AC/01 Revision No - 00





From Indigenous Idea to Newtech Solution



Newtech Medical Devices

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

Central Venous Catheter & Kit

Carefully & geometrically designed soft and conical tip of Catheter ensures safe and easy insertion offering good tissue and blood tolerance thus reducing the risk of blood clotting & intra vascular pain. Exceptionally biocompatible PU material which by property is stiff & non-kinking at room temperature but softens at body temperature thus ensures correct placement of catheter. Soft & flexible tip of Guidewire with excellent stiffness offers good Torque which helps in easy insertion and prevents vessel perforation. Clear and transparent radio-opaque material of lumen with definite marking and color coding ensures accurate positioning and minimum vessel damage.

Product Feature:



Soft Tip

Newtech ClearCVC catheter has been able to Reduce trauma to vessel wall upon introduction and in-situ. The radiopaque catheter and tip facilitates vessel location when visualized by X-Ray.



Soft Hub

ClearCVC comes with softer hub for better placement of catheter without any pain.



Antimicrobial Heparin Cap

Specially made adaptor helps to avoid infection.



Biocompatible Polyurethane Material

With new generation Biocompatible polyurethane material which is tested for toxicity and hemocompatability and this become softer in body.



Multi-Lumen Available

Newtech's Central venous catheter is available in single, double, triple lumen for infants and

Specifications:

REF	Lumen	Size	Length	Inner Diameter	Guidewire	Intro. Needle	Dialator
NT/CVCK/SL/1415	Single	14Ga	15 cm	14G	0.032" X 50 cm	18Ga	8.5 Fr
NT/CVCK/SL/1416	Single	14Ga	16 cm	14G	0.032" X 50 cm	18Ga	8.5 Fr
NT/CVCK/SL/1420	Single	14Ga	20 cm	14G	0.032" X 70 cm	18Ga	8.5 Fr
NT/CVCK/SL/1608	Single	16Ga	08 cm	16G	0.032" X 50 cm	18Ga	6.5 Fr
NT/CVCK/SL/1613	Single	16Ga	13 cm	16G	0.032" X 50 cm	18Ga	6.5 Fr
NT/CVCK/SL/1615	Single	16Ga	15 cm	16G	0.032" X 50 cm	18Ga	6.5 Fr
NT/CVCK/SL/1616	Single	16Ga	16 cm	16G	0.032" X 50 cm	18Ga	6.5 Fr
NT/CVCK/SL/1620	Single	16Ga	20 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr
NT/CVCK/SL/1630	Single	16Ga	30 cm	16G	0.032" X 70 cm	18Ga	6.5 Fr
NT/CVCK/SL/1808	Single	18Ga	08 cm	18G	0.025" X 50 cm	18Ga	4.5 Fr
NT/CVCK/SL/1816	Single	18Ga	16 cm	18G	0.025" X 50 cm	18Ga	4.5 Fr
NT/CVCK/SL/1820	Single	18Ga	20 cm	18G	0.025" X 60 cm	18Ga	4.5 Fr
NT/CVCK/SL/2013	Single	20Ga	13 cm	20G	0.021" X 50 cm	20Ga	4.0 Fr
NT/CVCK/SL/2016	Single	20Ga	16 cm	20G	0.021" X 50 cm	20Ga	4.0 Fr
NT/CVCK/SL/2208	Single	22Ga	08 cm	22G	0.018" X 50 cm	20Ga	3.5 Fr
NT/CVCK/SL/2216	Single	22Ga	16 cm	22G	0.018" X 50 cm	20Ga	3.5 Fr
NT/CVCK/DL/4005	Double	04Fr.	05 cm	22G X 22G	0.018" X 50 cm	20Ga	5.0 Fr
NT/CVCK/DL/4008	Double	04Fr.	08 cm	22G X 22G	0.018" X 50 cm	20Ga	5.0 Fr
NT/CVCK/DL/4013	Double	04Fr.	13 cm	22G X 22G	0.018" X 50 cm	20Ga	5.0 Fr
NT/CVCK/DL/4020	Double	04Fr.	20 cm	22G X 22G	0.018" X 60 cm	20Ga	5.0 Fr
NT/CVCK/DL/5005	Double	05Fr.	05 cm	18G X 20G	0.021" X 50 cm	20Ga	5.5 Fr
NT/CVCK/DL/5008	Double	05Fr.	08 cm	18G X 20G	0.021" X 50 cm	20Ga	5.5 Fr
NT/CVCK/DL/5013	Double	05Fr.	13 cm	18G X 20G	0.021" X 50 cm	20Ga	5.5 Fr
NT/CVCK/DL/5020	Double	05Fr.	20 cm	18G X 20G	0.021" X 60 cm	20Ga	5.5 Fr
NT/CVCK/DL/7013	Double	07Fr.	13 cm	14G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/DL/7015	Double	07Fr.	15 cm	14G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/DL/7016	Double	07Fr.	16 cm	14G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/DL/7020	Double	07Fr.	20 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr**
NT/CVCK/DL/7030	Double	07Fr.	30 cm	14G X 18G	0.035" X 70 cm	18Ga	8.5 Fr
NT/CVCK/TL/4505	Triple	4.5Fr.	05 cm	20G X 23G X 23G	0.021" X 50 cm	20Ga	5.0 Fr
NT/CVCK/TL/4508	Triple	4.5Fr.	08 cm	20G X 23G X 23G	0.021" X 50 cm	20Ga	5.0 Fr
NT/CVCK/TL/4513	Triple	4.5Fr.	13 cm	20G X 23G X 23G	0.021" X 50 cm	20Ga	5.0 Fr
NT/CVCK/TL/4520	Triple	4.5Fr.	20 cm	20G X 23G X 23G	0.021" X 60 cm	20Ga	5.0 Fr
NT/CVCK/TL/5505	Triple	5.5Fr.	05 cm	20G X 22G X 22G	0.021" X 50 cm	20Ga	6.0 Fr
NT/CVCK/TL/5508	Triple	5.5Fr.	08 cm	20G X 22G X 22G	0.021" X 50 cm	20Ga	6.0 Fr
NT/CVCK/TL/5513	Triple	5.5Fr.	13 cm	20G X 22G X 22G	0.021" X 50 cm	20Ga	6.0 Fr
NT/CVCK/TL/5520	Triple	5.5Fr.	20 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr
NT/CVCK/TL/0713	Triple	07Fr.	13 cm	16G X 18G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/TL/0715	Triple	07Fr.	15 cm	16G X 18G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/TL/0716	Triple	07Fr.	16 cm	16G X 18G X 18G	0.035" X 50 cm	18Ga	8.5 Fr**
NT/CVCK/TL/0720	Triple	07Fr.	20 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr**
NT/CVCK/TL/0730	Triple	07Fr.	30 cm	16G X 18G X 18G	0.035" X 70 cm	18Ga	8.5 Fr**

No Sampling, Check Availability before confirming order of Non Running products.
 No Sampling Available, Check Availability of Running Products.
 Sampling Available, No need to check availability of highly moving products, Easily Availab

Newtech Medical Devices Pvt. Ltd. 14/5, Mathura Road, Pocket B, Sector 27,

Faridabad, Haryana -121003, INDIA

+91 129 225 9961 I +91 129 225 9962

info@ntmdevices.com I Website www.ntmdevices.com





HSG Catheter

From Indigenous Idea to Newtech Solution **HIGH QUALITY MEDICAL DEVICES**

Newtech Medical Devices

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer & importer in the field of Cardiology, Nephrology & Surgical Disposables in INDIA.

HSG Catheter - Introduction


The ideal choice of catheter for diagnostic procedures, such as radiological hysterosalpingography or hydro hysterosonography. Newtech Medical Devices HSG Catheters are used to access the uterine cavity for saline infusion sonohysterography or for injection of contrast medium into the uterine cavity and fallopian tubes for evaluation of tubal patency.

Process of Hysterosalpingography (HSG):

Hysterosalpingography (HSG), also known as uterosalpingography, is a radiologic procedure to investigate the shape of the uterine cavity and the shape and patency of the fallopian tubes. This means it is a special x-ray using dye to look at the womb (uterus) and Fallopian tubes. It injects a radio-opaque material into the cervical canal and usually fluoroscopy with image intensification. A normal result shows the filling of the uterine cavity and the bilateral filling of the fallopian tube with the injection material. To demonstrate tubal rupture, spillage of the material into the peritoneal cavity needs to be observed. It has vital role in treatment of infertility especially in case of fallopian tube blockage.

Features & Advantages:

- Smooth tip reduces risk of trauma upon insertion and removal of catheter.
- Stable placement sheath decreases the need for a tenaculum.
- Soft, concentric balloon secures above the internal os preventing leakage of sterile saline or water-based contrast media.
- Made with 20% Radiopaque material allowing catheter to be seen under x-ray.
- Fixed volume syringe prevents over-inflation of the balloon.



Product Size:

HSG CATHETER

Ref.	French	Length
NT/HSG/7F	07 Fr	30.0 Cm

Newtech Medical Devices Pvt. Ltd.

14/5, Mathura Road, Pocket B, Sector 27, Faridabad, Haryana -121003, INDIA

Tel +91 129 225 9961

+91 129 225 9962

Mail ID info@ntmdevices.com Website www.ntmdevices.com

Our Distributor :		

Document No: NTM/HSG/01 Revision No - 00



PCN Clear[™] **PCN Catheter with Trocar**

From Indigenous Idea to Newtech Solution

HIGH QUALITY MEDICAL DEVICES

Newtech Medical Devices

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

PCN Catheter - Introduction

Urology's PCN Catheter is used for temporary or permanent drainage & Irrigation of urine from the kidney by direct Puncture in the presence of distal obstruction.

The catheter provides temporary drainage of urine from the kidney, and it is also known as Mono J Stent, Pigtail Nephrostomy catheter or pigtail drainage catheter.




Features & Advantages:

- Used for the temporary or permanent drainage.
- Avoids having to insert a needle and catheter separately i.e. one after the other.
- Highly radiopaque for better visualization.
- Soft and flexible material for patient's comfort.
- Durable with superior bio-compatibility.

Our PCN Catheters are made as per international standards to provide you with premium quality. In addition, we have a qualified R&D team to ensure the products are consistently being made with utmost precision to provide you with the safest solutions.

The PCN Catheter with Trocar is made of high quality medical grade polyurethane. Both are supplied in a sterile peel-open package and are intended for one-time use only.



Product Size:

ORDER NO.	FRENCH	LENGTH
NT/PCN/06F22	06 Fr	22 Cm
NT/PCN/06F30	06 Fr	30 Cm
NT/PCN/07F22	07 Fr	22 Cm
NT/PCN/07F30	07 Fr	30 Cm
NT/PCN/08F22	08 Fr	22 Cm
NT/PCN/08F30	08 Fr	30 Cm
NT/PCN/09F22	09 Fr	22 Cm
NT/PCN/09F30	09 Fr	30 Cm
NT/PCN/10F22	10 Fr	22 Cm
NT/PCN/10F30	10 Fr	30 Cm
NT/PCN/12F22	12 Fr	22 Cm
NT/PCN/12F30	12 Fr	30 Cm
NT/PCN/14F22	14 Fr	22 Cm
NT/PCN/14F30	14 Fr	30 Cm
NT/PCN/16F22	16 Fr	22 Cm
NT/PCN/16F30	16 Fr	30 Cm
NT/PCN/18F22	18 Fr	22 Cm
NT/PCN/18F30	18 Fr	30 Cm

Newtech Medical Devices Pvt. Ltd.

14/5, Mathura Road, Pocket B, Sector 27, Faridabad, Haryana -121003, INDIA

Tel +91 129 225 9961

+91 129 225 9962
Mail ID info@ntmdevices.com
Website www.ntmdevices.com

Our	Dist	trit	out	or

Document No: NTM/PCN/01 Revision No - 02



QuadroCath Clear

Quadro Catheter

From Indigenous Idea to Newtech Solution



We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

Quadro Catheter - Introduction

Four lumen infusion and measurement catheter without valve, made of polyurethane, with IN-plug (Seldinger technique). Due to one puncture providing 2 or 3 accesses, the radiopaque, biocompatible PUR-catheter minimizes the contamination risk and so reduces the costs.



Likewise, incompatible drugs or solutions can be infused separately in a quick and safe way. The soft tip minimizes the danger of vein perforation. The extremely smooth catheter surface prevents deposit of thrombi. The marker rings allow an exact positioning of the QuadroCath Clear. The individual lumina are colour-coded for safe identification.

Product Feature:



Soft Tip

Newtech's QuadroCath Clear catheter has been able to Reduce trauma to vessel wall upon introduction and in-situ. The radiopaque catheter and tip facilitates vessel location when visualized by X-Ray.



Soft Hub

QuadroCath Clear comes with softer hub for better placement of catheter without any pain.



Antimicrobial Heparin Cap

Specially made adaptor helps to avoid infection.



Biocompatible Polyurethane Material

With new generation Biocompatible polyurethane material which is tested for toxicity and hemocompatability and this become softer in body.



Multi-Lumen Available

Newtech's QuadroCath Clear catheter is available in four lumen for infants & adults.

CONTENT	
Quadro Catheter with Clamps & Injection Caps	4 lumen - 2.9 x 150mm
Syringe	5ml, Luer-Lock
Cannula	G18 - 7.0cm
Dilator	F9 - 10cm - 0.035"
Guidewire	0.035" - 50cm - J - 3mm - Nitinol
Scalpel	FIG 11 - 6, 5cm
Fixation aid	

Specifications:

REF	SIZE	LENGTH
NT/QCC/8515	8.5 F	15 cm
NT/QCC/8520	8.5 F	20 cm
NT/QCC/8530	8.5 F	30 cm

Newtech Medical Devices Pvt. Ltd.

14/5, Mathura Road, Pocket B, Sector 27, Faridabad, Haryana -121003, INDIA

Tel +91 129 225 9961

+91 129 225 9962

Mail ID info@ntmdevices.com Website www.ntmdevices.com

\sim	D: (
()ıır	I)ietr	ibutor
ou.	D 134	ibutoi

Document No: NTM/QCC/01 Revision No - 02